



DATA SHEET

KH-LFP-4830

KEHENG 51.2V 30Ah LiFePO4 LITHIUM BATTERY

Crafted out of Lithium Iron Phosphate (LiFePO4) technology, this is a battery built to last. With 2,000+ recharge cycles (and up to 7,000 under ideal charging conditions), which can provide 5 X the lifespan than your typical SLA battery. Built in smart BMS, which can realize Bluetooth function and battery level display optional. The battery can support 8 units parallel connection.

Optional:

Bluetooth®
LCD Display



SPECIFICATIONS

Nominal Voltage	51.2V
Rated Capacity	30AH @0.5C to 36V
Stored energy	1536Wh
Cycle life@100%DOD	2000 Cycles
Approx. Weight	14 kg
Internal Resistance	≤40.0 m Ω
Recommend continuous charge current	15A
Recommend continuous discharge current	30A
Max. Continuous charge Current	30A
Max. Continuous discharge Current	30A
Charge Cut-off Voltage	58.4V
Discharge Cut-Off Voltage	40V
Dimensions	L260mm × W180mm × H247mm
Parallel Connection	Up to 8 batteries
Operating Temperature Range	
Charge	32°F (0°C) to 113°F (45°C)
Discharge	14°F (-10°C) to 140°F (60°C)
Recommended	59°F (15°C) to 95°F (35°C)
Self-Discharge Rate	≤3%/month
Life Expectancy (years)	15 years @25° C in 80%DOD
Self Discharge	Approx. 2% per month @ 25° C
Long Term Storage	Charge every 6 months
Short Circuit Protection	Automatically recover after removal of short
APPLICATIONS	Female Copper Insert M8 (M8/mm)



COMPLIED STANDARD

- ✓ IEC 62133
- ✓ UL 1642
- ✓ ISO9001
- ✓ ISO14001
- ✓ UN38.3

INTELLIGENT BMS FUNCTION


- Overcharge detection function
- Over discharge detection function
- Over current detection function
- Short detection function
- Temperature detection function
- Balance function

BLUETOOTH® ENABLED


Monitor the State of Charge (SoC), State of Health (SoH), current, capacity, temperature, number of cycles, and voltage levels of the battery and individual cells from APP.

Medical Solar Wind Mobility Data Center Transport Sports & Recreation Utility


100% DOD Cycle Curves at Different Temperatures




1C Cycle Curves at Different DOD&Temperatures



Discharge Time in Relation to Discharge Rate (25°C)




Temperature Effect in Relation to Battery Capacity



BENEFITS OF LITHIUM

Lithium offers several performance benefits versus its sealed lead acid (SLA) equivalent. A lithium battery's capacity is independent from the discharge rate and provides constant power throughout its discharge. The degradation of a lithium battery at a high temperature is significantly reduced in comparison to SLA. Lithium has ten times the cycle life as SLA at room temperature. Even at an elevated temperature, lithium still has increased cycle life over SLA at room temperature. Lastly, Lithium charging follows a similar charging profile as SLA, Constant Current Constant Voltage (CC/CV). However, lithium can be charged faster, without the need for a maintenance float charge.

BATTERY DIMENSIONS



Keheng New Energy Technology (shenzhen) Co.,Ltd

Floor 8, D8 Bldg, Lang kou Industrial Park, Long hua District, Shenzhen, China

Tel: +86 0755-21044322

Fax: +86 0755-21044322

Website: www.keheng-battery.com

Email: info@keheng-battery.com

