


KH-ES10KPW

POWER YOUR HOME WITH GREEN ENERGY



KH-ES10KPW is a 48V low voltage battery module that enables energy storage to maximise self-consumption from your solar system to reduce electricity bills and provide energy independence. Suitable for residential or commercial solutions keeping you powered night and day.

Number of expandable battery units : up to 14units(10KWH*14units=140KWH maximum)




FEATURES

- 24-hour clean energy supplying
- 10 years designed lifespan
- Flexible design, easy to scale up
- Easy to wall mount
- Compact size and space saving


SPECIFICATIONS

Nominal Voltage	51.2V
Rated Capacity	200AH @0.5C to 42V
Stored energy	10240Wh
Chemistry	LiFePO4
Life Expectancy (years)	10 years @ 25° C
Charge Cut-off Voltage	58.4V
Discharge Cut-Off Voltage	42V
Internal Resistance	≤ 60.0 mΩ
Max. Continuous charge Current	200 A
Max. Continuous discharge Current	200 A
Cycle life@100%DOD	>2000 Cycles@100%DOD >4000 Cycles@80%DOD >7000 Cycles@50%DOD
Self-Discharge Rate	≤3%/month @ 25° C
Battery Pack Round-Trip Efficiency	Up to 98%
Approx. Weight	100 kg
Dimensions	L420mm× W259mm× H700mm
Series & Parallel Connection	Maxium 14 units in parallel Connection
Operating Temperature Range	
Charge	32°F (0°C) to 113°F (45°C)
Discharge	-4°F (-20°C) to 140°F (60°C)
Storage	-4°F (-20°C) to 140°F (60°C)
Installation	Wall-mounted
Humidity Conditions	10% to 90%
Cooling method	Natural cooling
Installation	Wall-mounted
Installation Altitude(above sea level)	≤ 2,000m
Certification	CELL: UN38.3, UL1642, CE BATTERY: UN38.3, CE
Communication with BMS	RS485/CAN
Monitoring parameters	System Voltage System Current Cell Voltage Cell temperature


CHARACTERISTIC CURVE




100% DOD Cycle Curves at Different Temperatures




1C Cycle Curves at Different DOD & Temperatures




DOD in Relation to Cycle Life (25°C)



Discharge Time in Relation to Discharge Rate (25°C)



Temperature Effect in Relation to Battery Capacity



Discharge Capacity in Relation to Discharge Rate

Keheng New Energy Technology (shenzhen) Co.,Ltd

Floor 8, D8 Bldg, Lang kou Industrial Park, Long hua District, Shenzhen, china

Tel: +86 0755-21044322 Fax: +86 0755-21044322

Website: www.keheng-battery.com

Email: info@keheng-battery.com

